

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 28/02/2008 Revision date: 15/07/2015

015 Supersedes: 28/04/2008

Version: 3.0

SECTION 1: Identification of the	substance/mixture and or the company/ur			
1.1. Product identifier				
Product form	: Mixture			
Product name	: Brush Cleaner			
EC no	: 201-159-0			
CAS No	: 78-93-3			
Product code	: NSI Brush Cleaner			
1.2. Relevant identified uses of the	e substance or mixture and uses advised against			
1.2.1. Relevant identified uses				
Main use category	: Professional use			
Industrial/Professional use spec	: For professional use only			
Function or use category	: Solvents			
1.2.2. Uses advised against				
No additional information available				
1.3. Details of the supplier of the s	afety data sheet			
NAIL SYSTEMS INTERNATIONAL				
2 Union Hill Road				
19428 W. Conshohocken, PA - UNITED S T 877-354-8130 or 610-825-1524 - F 610-				
www.nsinails.com				
1.4. Emergency telephone number	,			
SECTION 2: Hazards identificat 2.1. Classification of the substanc Classification according to Regulation Flam. Liq. 2 H225	e or mixture	323 3500		
SECTION 2: Hazards identificat 2.1. Classification of the substanc Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	on e or mixture	323 3500		
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16	on e or mixture	323 3500		
Emergency number SECTION 2: Hazards identificat 2.1. Classification of the substanc Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements	on e or mixture	323 3500		
SECTION 2: Hazards identificat 2.1. Classification of the substanc Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements	on e or mixture (EC) No. 1272/2008 [CLP]	323 3500		
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC)	on e or mixture (EC) No. 1272/2008 [CLP]	323 3500		
SECTION 2: Hazards identificat 2.1. Classification of the substanc Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC)	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP]	323 3500		
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP]	323 3500		
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK		ss or dizzinges. Causes serious are	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK		ss or dizziness. Causes serious eye	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation.		ss or dizziness. Causes serious eye	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation.		ss or dizziness. Causes serious eye	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects SECTION 3: Composition/inform	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation.		ss or dizziness. Causes serious eye	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects SECTION 3: Composition/inform 3.1. Substance	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation.		ss or dizziness. Causes serious eye	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects SECTION 3: Composition/inform 3.1. Substance Not applicable	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation.		ss or dizziness. Causes serious eye	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects SECTION 3: Composition/inform 3.1. Substance Not applicable	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation.		ss or dizziness. Causes serious eye	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects SECTION 3: Composition/inform 3.1. Substance Not applicable	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation.		ss or dizziness. Causes serious eye	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects SECTION 3: Composition/inform 3.1. Substance Not applicable	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation. nation on ingredients		Classification according to Regulation (EC) No.	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects SECTION 3: Composition/inform 3.1. Substance Not applicable 3.2. Mixture	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation. nation on ingredients Product identifier	e drowsine:	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
SECTION 2: Hazards identificat 2.1. Classification of the substance Classification according to Regulation Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazardous ingredients 2.3. Other hazards Adverse physicochemical, human health a environmental effects SECTION 3: Composition/inform 3.1. Substance Not applicable 3.2. Mixture Name	on e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] : MEK nd : Highly flammable liquid and vapour. May cause irritation. nation on ingredients Product identifier	drowsine	Classification according to Regulation (EC) No.	

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
4.2. Most important symptoms and eff	fects, both acute and delayed
Symptoms/injuries	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Eye irritation.
4.3. Indication of any immediate media	cal attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the s	
Fire hazard	: Highly flammable liquid and vapour.
Hazardous decomposition products in case of	
fire	
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing
	apparatus. Complete protective clothing.
SECTION 6: Accidental release me	
	equipment and emergency procedures
6.1.1. For non-emergency personnel	. Vertilate children area. No open flames, no operior, and no emploing. Avoid breathing veneurs
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing vapours, fume. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public
	waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing vapours, fume. Avoid contact with skin and eyes.
	: Do not eat, drink or smoke when using this product. Always wash hands after handling the
Hygiene measures	product.
Hygiene measures 7.2. Conditions for safe storage, inclu-	•
	•
7.2. Conditions for safe storage, inclu	ding any incompatibilities

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
Brush Cleaner (78-93-3)			
EU	Local name	Butanone	
EU	IOELV TWA (mg/m ³)	600 mg/m ³	
EU	IOELV TWA (ppm)	200 ppm	
EU	IOELV STEL (mg/m ³)	900 mg/m ³	
EU	IOELV STEL (ppm)	300 ppm	
MEK (78-93-3)	MEK (78-93-3)		
EU	Local name	Butanone	
EU	IOELV TWA (mg/m ³)	600 mg/m ³	
EU	IOELV TWA (ppm)	200 ppm	
EU	IOELV STEL (mg/m ³)	900 mg/m ³	
EU	IOELV STEL (ppm)	300 ppm	

Brush Cleaner (78-93-3)			
DNEL/DMEL (Workers)			
Acute - systemic effects, dermal	≈ mg/kg bodyweight/day		
8.2. Exposure controls			
Appropriate engineering controls	: Ensure good ventilation of the work station.		
Hand protection	: Protective gloves		
Eye protection	Safety glasses		
Skin and body protection	: Wear suitable protective clothing		
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment		
Environmental exposure controls	: Avoid release to the environment.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: No data available	
Odour	: No data available	
Odour threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		

No additional information available

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 453/2010				
SECTION 10: Stability and reactivity				
10.1. Reactivity				
Highly flammable liquid and vapour.				
10.2. Chemical stability				
Stable under normal conditions.				
10.3. Possibility of hazardous reactions				
No dangerous reactions known under normal co	onditions of use.			
10.4. Conditions to avoid				
Avoid contact with hot surfaces. Heat. No flame	s, no sparks. Eliminate all sources of ignition.			
10.5. Incompatible materials				
No additional information available				
10.6. Hazardous decomposition products	S			
No additional information available				
SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity	: Not classified			
Skin corrosion/irritation	: Not classified			
Serious eye damage/irritation	: Causes serious eye irritation.			
Respiratory or skin sensitisation	: Not classified			
Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified			
Reproductive toxicity	: Not classified			
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.			
Specific target organ toxicity (repeated	: Not classified			
exposure)				
Aspiration hazard	: Not classified			
SECTION 12: Ecological information				
SECTION 12: Ecological information 12.1. Toxicity				
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.			
12.2. Persistence and degradability				
No additional information available				
12.3. Bioaccumulative potential				
No additional information available				

12.4.Mobility in soilNo additional information available

12.5.	Results of PBT and vPvB assessn	nent
No additi	onal information available	

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations					
13.1. Waste treatment methods					
Waste disposal recommendations	: Dispose as hazardous waste. Dispose in a safe manner in accordance with local/national regulations.				
Additional information	: Flammable vapours may accumulate in the container.				
SECTION 14: Transport information					
In accordance with ADR / RID / IMDG / IATA / ADN					
14.1. UN number					
UN-No. (ADR)	: 1193				

UN-No.(IATA) 20/07/2015 : 1193

Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010				
14.2. UN proper shipping name				
Proper Shipping Name (ADR)	: ETHYL METHYL KETONE (METHYL ETHYL KETONE)			
Proper Shipping Name (IATA)	: ETHYL METHYL KETONE			
Transport document description (ADR)	: UN 1193 ETHYL METHYL KETONE (METHYL ETHYL KETONE), 3, II, (D/E)			
14.3. Transport hazard class(es)				
ADR				
Transport hazard class(es) (ADR)	: 3			
Danger labels (ADR)	: 3			
	:			
	3			
	•			
ΙΑΤΑ				
Transport hazard class(es) (IATA)	: 3			
Hazard labels (IATA)	: 3			
	3			
14.4. Packing group				
Packing group (ADR)	: 11			
Packing group (IATA)	: 11			
14.5. Environmental hazards Dangerous for the environment	: No			
Other information	No Supplementary information available			
14.6. Special precautions for user				
- Overland transport				
Classification code (ADR)	: F1			
Limited quantities (ADR)				
Excepted quantities (ADR)	: 1l : E2			
Packing instructions (ADR)	: P001, IBC02, R001			
Mixed packing provisions (ADR)	: MP19			
Portable tank and bulk container instructions	: T4			
(ADR)				
Portable tank and bulk container special	: TP1			
provisions (ADR)				
Tank code (ADR)	: LGBF			
Vehicle for tank carriage	: FL			
Transport category (ADR)	: 2			
Special provisions for carriage - Operation (ADR)	: S2, S20			
Hazard identification number (Kemler No.)	: 33			
Orange plates				
	33			
	1102			
	1193			
Tunnel restriction code (ADR)	: D/E			
EAC code	: •2YE			
- Air transport				

PCA Excepted quantities (IATA)

: E2

Safety Data Sheet

according to Regulation (EC) No. 453/2010

PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
15.1.1. EU-Regulations				
Contains no substances with Annex XVII restrict	ions			
Contains no substance on the REACH candidate	e list			
Contains no REACH Annex XIV substances				
15.1.2. National regulations				
Germany				
VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)			
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)			
Netherlands				
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed			
SZW-lijst van mutagene stoffen	: None of the components are listed			
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed			
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed			
NIET-limitatieve lijst van voor de voortplanting	: None of the components are listed			

Denmark

Recommendations Danish Regulation

giftige stoffen - Ontwikkeling

: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-phrases:

Eye Irrit. 2 Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

SDS EU (REACH Annex II)

For EU Regulatory Inquiries, please contact:

Biorius Rue de la Croyere 10A BE-7170 MANAGE Tel: 32 2 888 40 10

Disclaimer: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way coneected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.